



Line 700

gas ranges/solid-tops/with ovens

The top plate is made of stainless steel CrNi 18/10 class AISI 304 with thickness 1.5 mm. The base legs are made of stainless steel and are height adjustable. The whole unit complies with protection IP24. The unit 700 specifications include high performance, pressed tanks with round internal angles and ergonomic front panels with operating and control elements.



- top plate from stainless steel AISI 304 thickness 1.5 mm
- SPS burners 4 kW and 8,5 kW
- solid-tops 6,6 kW and 10,8 kW
- model range ST with pilot flame and piezzo
- burners SPS with pilot flame
- solid-top STPS(T): $\varnothing$ 200 mm; 370 x 545 x 15 mm
- pressed chamber of oven GN 2/1 or GN 3/1
- water resistant control – prevents penetration of liquids in the cavities
- base-free solution, with base, with electrical or gas oven
- low rear chimney with cast iron grill




Index	Model	mm	kg	V / Hz	kW	Burners	Oven kW / GN
117 260 465	STPS 708 G	800 x 730 x 300	71	-	19,1	1 x 4 + 1 x 8,5 + 1 x 6,6 [T]	-
117 260 589	STPS 7012 G	1200 x 730 x 300	97	-	36,1	1 x 4 + 3 x 8,5 + 1 x 6,6 [T]	-
117 260 586	STPS 780 G	800 x 730 x 900	98	-	19,1	1 x 4 + 1 x 8,5 + 1 x 6,6 [T]	-
117 260 590	STPS 7120 G	1200 x 730 x 900	134	-	36,1	1 x 4 + 3 x 8,5 + 1 x 6,6 [T]	-
117 260 554	ST 708 G	800 x 730 x 300	83	-	10,8	1 x 10,8 [T]	-
117 260 582	ST 780 G	800 x 730 x 900	99	-	10,8	1 x 10,8 [T]	-
117 260 538	STPST 780/21 GE	800 x 730 x 900	122,6	400 / 50-60	19,1 [G]; 6,3 [E]	1 x 4 + 1 x 8,5 + 1 x 6,6 [T]	6,3 ; GN 2/1
117 260 543	STPST 780/21 G	800 x 730 x 900	130,4	-	25,1	1 x 4 + 1 x 8,5 + 1 x 6,6 [T]	6 ; GN 2/1
117 260 421	STPST 7120/21 GE	1200 x 730 x 900	160	400 / 50-60	36,1 [G]; 6,3 [E]	1 x 4 + 3 x 8,5 + 1 x 6,6 [T]	6,3 ; GN 2/1
117 260 535	STPST 7120/21 G	1200 x 730 x 900	167,4	-	42,1	1 x 4 + 3 x 8,5 + 1 x 6,6 [T]	6 ; GN 2/1
117 260 692	STPST 7120/31 GE	1200 x 730 x 900	173	400 / 50-60	36,1 [G]; 8,7 [E]	1 x 4 + 3 x 8,5 + 1 x 6,6 [T]	8,7 ; GN 3/1
117 260 701	STPST 7120/31 G	1200 x 730 x 900	185	-	46,6	1 x 4 + 3 x 8,5 + 1 x 6,6 [T]	10,5 ; GN 3/1
117 260 580	STT 780/21 GE	800 x 730 x 900	173	400 / 50-60	10,8 [G]; 6,3 [E]	1 x 10,8 [T]	6,3 ; GN 2/1
117 260 583	STT 780/21 G	800 x 730 x 900	143	-	16,8	1 x 10,8 [T]	6 ; GN 2/1




gas ranges/solid-tops/with ovens


STPS 708 G




STPS 7012 G



STPS 780 G



STPS 7120 G




E - electric
G - gas






gas ranges/solid-tops/with ovens


STPST 780 21 G




STPST 780 21 GE



STPST 7120 21 G



STPST 7120 31 GE




E – electric
G – gas






gas ranges/solid-tops/with ovens


ST 708 G



ST 780 G



STT 780 21 GE



E – electric
G – gas

