


ORDRENUMRE SAMT MÅLSKITSER


ORDER NUMBERS AND DIMENSION SKETCHES

AUFTRAG NUMMERN UND MASSSKIZZEN




**SPARTEL
FLAT BEATER
RÜHRER**


A/S WODSCHOW & CO. Denmark



TYPE 1
aluminium
aluminum
aluminium




TYPE 2
aluminium
aluminum
aluminium



TYPE 3
rustfri
stainless
rostfrei


TYPE 3-1
syrefast
acidproof
säurefest

TYPE 3-2
fortinnet
tinned
verzinnt



TYPE 4
rustfri
stainless
rostfrei


TYPE 4-1
syrefast
acidproof
säurefest




TYPE 5
aluminium
aluminum
aluminium

TYPE 5-1
rustfri
stainless
rostfrei


TYPE 5-2
syrefast
acidproof
säurefest




TYPE 6
aluminium
aluminum
aluminium



TYPE 7
aluminium
aluminum
aluminium



TYPE 8
aluminium
aluminum
aluminium



TYPE 9
rustfri
stainless
rostfrei

TYPE 9-1
syrefast
acidproof
säurefest

ORDER NR.:	DESCRIPTION:	A	B	C	D	TYPE		
01070	R10			280	158	8		
RN20-27am	RN20/12	20	259	294.5	184	2		
RN20-27a2m	RN20/12	20	259	294.5	184	4		
RN20-27a1m	RN20/12	20	259	294.5	184	4-1		
R20-27m	R20, RN20	20	328	365.5	214	7		
R20-27.2m	R20, RN20	20	328	365.5	214	4		
R20-27.1m	R20, RN20	20	328	365.5	214	4-1		
R27-27am	R30/15, RN30/15, AR30/15	25	327.5	367	199	2		
R27-27a2m	R30/15, RN30/15, AR30/15	25	327.5	367	199	3		
R27-27a3m	R30/15, RN30/15, AR30/15	25	327.5	367	199	3-1		
RN30-27m	RN30, AR30	25	386.5	425	238	7		
RN30-27.2m	RN30, AR30	25	386.5	425	238	3		
RN30-27.1m	RN30, AR30	25	386.5	425	238	3-1		
R40-27am	R40/20, AR40/20	30	363.5	417	225	2		
R40-27a2m	R40/20, AR40,20	30	363.5	417	225	4		
R40-27a1m	R40/20, AR40,20	30	363.5	417	225	4-1		
R40-27m	R40, AR40	30	451.5	505	255	7		
R40-27.2m	R40, AR40	30	451.5	505	255	3		
R40-27.1m	R40, AR40	30	451.5	505	255	3-1		
R60-27am	R60/30, AR60/30	35	398.5	455	255	2		
R60-27a2m	R60/30, AR60/30	35	398.5	455	255	4		
R60-27a1m	R60/30, AR60/30	35	398.5	455	255	4-1		
R60-27m	R60, AR60	35	529.2	593	314.5	7		
R60-27.2m	R60, AR60	35	529.2	593	314.5	3		
R60-27.1m	R60, AR60	35	529.2	593	314.5	3-1		
R100-27bm	R100/80, AR80	35	574	634	345,5	7		
R100-27b2m	R100/80, AR80	35	574	634	345,5	3		
R100-27b1m	R100/80, AR80	35	574	634	345,5	3-1		
R100-27b3m	R100/80, AR80	35	574	634	345,5	3-2		
RN100-27bm	RN100/40, AR80/40	35	525	593	225	7		
RN100-27b2m	RN100/40, AR80/40	35	525	593	225	3		
RN100-27am	RN100/60	35	583	638	288	7		
RN100-27a2m	RN100/60	35	583	638	288	3		
RN100-27a1m	RN100/40,	35	525	593	225	3-1		
RN100-27m	RN100	35	633	685	380.5	7		
RN100-27.2m	RN100	35	633	685	380.5	3		
RN100-27.1m	RN100	35	633	685	380.5	3 -1		
W140-27m	W140Q	35	720	775	380,5	7		
R150-27am	R150/70	25/40	613	713	316	5		
R150-27a2m	R150/70	25/40	613	713	316	5-1		
R150-27a1m	R150/70	25/40	613	713	316	5-2		
R150-27m	R150	25/40	725	824	404	5		
R150-27.2m	R150	25/40	725	824	404	5-1		
R150-27.1m	R150	25/40	725	824	404	5-2		
R150-27bm	R150/200	25/40	809	910	405	9		
R150-27b1m	R150/200	25/40	809	910	405	9-1		

ÆLDRE MODELLER

PREVIOUS MODELS

FRÜHERE MODELLE

ORDER NR.:	DESCRIPTION:	A	B	C	D	TYPE		
R20-27am	R20/12	20	315	350.5	184	6		
R20-27a2m	R20/12	20	315	350.5	184	4		
UR27-27m	R30	25	395	425	220	7		
UR30-27.2m	R30	25	386.5	425	238	3		
R100-27am	R100/40	35	448.5	506	226	1		
R100-27a2m	R100/40	35	448.5	506	226	3		
R100-27m	R100	35	574	634	345.5	1		
R100-27.2m	R100	35	574	634	345.5	3		
R100-27.1m	R100	35	574	634	345.5	3-1		

